

**TRANSPORTERS:**

- HYDRAULIC TILTING
- LOW LOADING FLOOR  
BETWEEN THE WHEELS

# MODEL H

**HAPERT**  
[WWW.HAPERT.COM](http://WWW.HAPERT.COM)



# MODEL H TRANSPORTER



## TOUGH, VERSATILE AND ALL-ROUND: THE H-TRANSPORTER!

The H-TRANSPORTER is a tough, versatile and all-round tilt-bed transporter with a fully welded and full-immersion galvanised chassis, and standard dimensions of 4250 mm x 1900 mm. This model is available in the 2,700, 3,000 and 3,500 kg weight classes. On request, Hapert can produce longer (up to 5000 mm) and wider (up to 2050 mm) versions of this model. The H-TRANSPORTER is the ideal, hydraulic, tilttable trailer for transporting various types of excavators, cars and other wheeled machines. The double-acting hydraulic system makes it easy to tilt the trailer in the ideal drive-on position. Because of its placement between the wheels and the

drawbar integrated in the chassis, this trailer's loading floor is extremely low. The robust sides are hard-wearing and can literally take a knock or two. The full-featured standard model is fitted with a plywood floor with an anti-slip coating that is tightly secured to the cross-members and longitudinal runners welded onto the chassis. A multi-adjustable hand-operated winch and support are fitted at the factory. The 2 steel, 500 mm long, hinged drive-on ramps are mounted at the rear of the trailer. The H-models are, of course, fitted with high-quality rubber-suspended axles, a robust, heavy duty jockey wheel and 4 "safety steps" on the sides (photo 8).




model	inside dimensions in mm			loading floor height in mm	Maximum Gross Weight in kg	approx. empty weight in kg
	length	width	height			
H 2700 transporter	4250	1900	190	410	2700	700
H 3000 transporter	4250	1900	190	420	3000	710
H 3500 transporter	4250	1900	190	440	3500	760
H 3500 transporter	5000	2050	190	440	3500	840

## AVAILABLE IN A LARGE NUMBER OF DIFFERENT OPTIONS.

Frequently requested options and modifications include:

- a rear-mounted, 500 mm-long, continuous loading ramp instead of drive-on ramps (photo 1)
- a aluminium extension or a binding rail on the sides
- a weldmesh extension
- a model with a high cover (photo 2) or as a box van (photo 3)
- a steel sheet or an aluminium tear plate mounted on the multiplex floor (photo 8)

For more information about the complete series and/or about the original HAPERT accessories, feel free to contact your local HAPERT dealer completely free of obligation. He would be pleased to tell you more about the virtually unlimited possibilities!



# MODEL H AUTO



**HAPERT**  
WWW.HAPERT.COM

**THE TRANSPORTER-, AUTO- AND MULTI-MODELS FROM HAPERT;  
RELIABLE, PRACTICAL AND VERSATILE!**

HAPERT has been the number one brand in the trailer sector for many years now. In the Benelux countries, Hapert is the undisputed market leader in the sector for light trailers with an overrun brake. HAPERT trailers are available in many European countries from professional deal-

ers who have specialist knowledge of the products and personal involvement with the brand and the HAPERT organisation. Thanks to the wide range available, you will always find a HAPERT trailer that precisely meets your personal requirements. Users know that HAPERT trailers are all well-thought-out quality products that prove themselves time and time again under the most varied of conditions.




**THE SAFE H-AUTO:  
PRACTICAL AND FUNCTIONAL!**

The safe H-AUTO is a car transporter measuring 4250 mm x 1900 mm. This model is available in the 2700, 3000 and 3500 kg weight classes. The H-AUTO has the same features as the H-TRANSPORTER, but is fitted with 2 HAR-profile plates (photo 5; steel tracks perforated with oval holes) with a total approximate length of 4500 mm instead of a plywood floor. The HAR-profiles provide excellent grip and, in combination with wheel stops (photo 4) and lashing strips, can be used to secure the load so it is completely safe. This car transporter can be optionally fitted with a plywood or HAR-profile floor between the tracks (photo 6).

Steel tracks perforated with oval holes for easily mounting wheel stops and lashing strips to secure the load. ▼

model	inside dimensions in mm			loading floor height in mm	Maximum Gross Weight in kg	approx. empty weight in kg
	length	width	height			
H Auto	4250	1900	190	400	2700	685
H 2700 auto	4250	1900	190	430	3500	740
H 3500 auto	4250	1900	190	430	3500	740

Option: ▶  
wheel stops  
"Auto" (pair)



# MODEL H MULTI



7

## THE MODEL H-MULTI, THE MULTIFUNCTIONAL POWERHOUSE!

This tilt-bed trailer, which is specially designed for transporting a wide range of excavating machines, has standard dimensions of 3500 mm x 1600 mm and is available in the 2700, 3000 and 3500 kg weight classes. On request, HAPERT can produce longer (up to 5000 mm!) and wider (up to 2050 mm!) versions of this model. The H-MULTI has the same general features as the H-TRANSPORTER, but an ALUMINIUM TEAR PLATE is mounted on the plywood floor. In addition, a continuous 500 mm-long, hinged drive-on ramp, a closed front and 150 mm-high binding rails on the sides, 4 "safety steps" on the sides (photo 8) are standard fittings on this trailer.

## FUNCTIONAL OPTIONS AND INTERESTING ACCESSORIES.

A large number of functional options and interesting accessories are also available including:

- a rear-mounted 1000 mm-long, continuous drive-on ramp
- a removable front rack (photo 7)
- a winch on a fixed support (photo 10)
- a weldmesh extension on the sides (photo 10)
- aluminium extensions
- an excavator bucket support
- alternative dimensions varying from:  
length from 3500 till 5000 mm and width from 1600 till 2050 mm.



▲ Option:  
a removable front rack




8



9



model	inside dimensions in mm			loading floor height in mm	Maximum Gross weight in kg	approx. empty weight in kg
	length	width	height incl. railing			
H 2700	3500	1600	310	410	2700	670
H 3000	3500	1600	310	420	3000	690
H 3500	3500	1600	310	440	3500	710
H 3500	4250	1900	310	440	3500	830
H 3500	5000	2050	310	440	3500	940



10